


TYLÖ[®]

Sauna
Steam
Infra







Contents

Six reasons to choose Tylö	4
Relaxology	6
Tylarium™	8
Sauna	11
Sauna room Evolve	12
Sauna room Tradition	14
Layouts for Tradition and Evolve	16
Modular systems for Tradition and Evolve	20
Sauna room Impression	22
Tylö Design room	25
Sauna construction	32
Interiors	34
Sauna doors	39
Glazed sections	41
Glass fronts and corners	42
Cleaning tips	43
Electric sauna heaters	44
Soft sauna heaters	46
Wood-fired sauna heaters	48
Sauna heater in technical terms	50
Specification – sauna heaters	52
Control panels	55
Steam	59
Steam column tx202	60
Impression i110/c	62
Impression i130 and i170	63
Impression Twin	64
Panacea	66
Elysée	68
Excellent	70
Steam generators	72
Steam doors	74
Control panels	75
Water quality	76
Infra	79
Prime+	80
Accessories	82

6 GOOD REASONS...



...to choose Tylö

Consistent high quality

We know that our products maintain a high level of quality. That's why you can feel at ease thanks to the 5-year materials warranty we offer with our products.

Innovative design

Smart solutions in the form of well-conceived energy-saving functions and a thorough approach to safety make Tylö's products market leaders. They are also attractive in appearance.

Made in Sweden

With few exceptions, we manufacture all our products ourselves from scratch, at our own factory in Halmstad.

In-house development

The fact that we develop all our products in-house at Tylö means that we have complete control, right down to the smallest detail. We feel it is important to take a holistic approach from beginning to end.

Extensive experience

For more than 60 years we have been applying and maintaining the same high quality standards. We have been at the same address since the mid 1950s.

Strong support

To ensure effective and rapid problem-solving, we operate our own support function. We feel this provides the shortest route between us as sauna experts and you as a sauna customer.



...to choose a Tylö sauna room

Focus on details

Our sauna rooms are manufactured by sauna users for sauna users, with each sauna designed for the optimum sauna experience. With efficient ventilation, precise fit and sound construction, you get a sauna that will serve you well for years to come.

Ready for electrical installation

Our sauna rooms are supplied complete with conduits for handy, concealed electrical installation.

Perfect fit

A high level of precision in the components enables fast and simple installation. The Flex system for sauna rooms allows you to expand the size incrementally, making it easy to design a sauna that meets your exact wishes and requirements.

Optimum ventilation

All sauna rooms from Tylö are equipped with air inlet and air outlet vents positioned according to Tylö standards. This ensures optimum heat distribution throughout the space.

Sound construction

Sauna rooms from Tylö are constructed to be suitable for all types of sauna options. Our wide range of sauna doors can withstand the huge variations in temperature they are exposed to without warping or becoming deformed in any way. The wide, sturdy benches are made from solid wood, adding to the delightful overall feel.

Made in Sweden with a long warranty

Our sauna rooms are manufactured completely in-house at our own factory, with no compromising on quality. Our choice of materials, such as solid wood, clearly reflect our quality ambitions and permeate everything we do. It's important to us because it's important to you. No matter how often or seldom you use your sauna, you can always count on reliable performance. Thanks to in-house production and scrupulous quality control you can always be assured that products from Tylö are a sound purchase. Consequently we can offer warranties that are the most generous in the industry.



Steam generators

Leave the daily challenges behind and enjoy the perfect end to your day. Give yourself some me-time in the steam. Tylö has a strong tradition of providing steam generators for public and private use. Our latest series is fitted with a state-of-the-art control unit to ensure precise operation. Control the steam, lights, timer and other features at the simple touch of a button. Add fragrances and relax. Indulge yourself and all your senses.

Functions
Automatic empty
Automatic flush
Energy-saving feature
Replaceable heater
Limescale repellent electrodes
Level detection outside the water tank
Automatic shut-off if water level low
Electronic temperature limiter
Stand by
Fragrance pump control (Only Steam generator Pro)
Fan control



To be launched in 2016



To be launched in 2016

STEAM HOME Our latest compact and effective steam generator for home environments. It offers new and improved features, for example, standby function, aromatherapy option and improved protection against stoppages.

STEAM COMMERCIAL Our Steam Commercial steam generator is equipped with a large water tank and is designed to easily connect to our Multi-Steam function – an effective way to avoid stoppages in frequently-used systems.



STEAM VA Powerful steam generator with automatic function. Equipped with a large water tank, making it ideal for public settings. IP rating: IP 45. Add a control panel of your choice.

- Steam 6 VA** Item no. 6620 2020
- Steam 9 VA-K** Item no. 6620 3021
- Steam 12 VA** Item no. 6620 4020
- Steam 18 VA** Item no. 6620 5020
- Steam 24 VA** Item no. 6620 6020



STEAM PRO Reliable and service-friendly steam generator that meets all needs for public facilities. The steam generator measures the water quality and, in the event of poor water quality, its integrated failure protection system empties the tank, rinses it clean and refills it. Control panel H1 Pro is always included with Steam PRO.

- 9 PRO** Item no. 6620 7000
- 12 PRO** Item no. 6620 7010



STEAM 2/4/6 VB A compact steam generator with the same high-quality materials, functions and features as the VA models, but with a smaller water tank to ensure rapid heating. Designed for small and medium-sized home steam rooms. IP rating: IP 23. Add a control panel of your choice.

Model	Output (kW)	The steam room's min./max. volume (m³)				Steam production (kg/h)	Size in mm (LxWxH)	Suitable control panel
		Light wall made of glass, plastic, Elysée Excellent room, etc.		Heavy wall made of tiles, concrete, stone, etc.				
		With ventilation	Without ventilation	With ventilation	Without ventilation			
HOME	3	–	max. 3	–	max. 2	3,5	480 x 350 x 159	Elite, Elite Wifi, Pure
	6	3 - 8	4 - 15	2 - 5	2,5 - 8	8		
	9	6 - 16	13 - 24	4 - 10	7 - 16	12		
COMMERCIAL	9	6 - 16	13 - 24	4 - 10	7 - 16	12	585 x 415 x 230	Elite, Elite Wifi, Pure
	12	14 - 22	22 - 30	8 - 15	14 - 20	16		
	15	18 - 25	28 - 38	10 - 19	18 - 25	20		
2 x 9 2 x 12 COMMERCIAL 2 x 15	18	20 - 30	28 - 40	13 - 20	18 - 30	24	585 x 415 x 230	Elite, Elite Wifi, Pure
	24	28 - 40	38 - 50	18 - 30	28 - 40	32		
	30	36 - 50	56 - 76	32 - 42	42 - 57	40		
3 x 9 3 x 12 COMMERCIAL 3 x 15	27	38 - 45	46 - 60	28 - 40	38 - 52	36	585 x 415 x 230	Elite, Elite Wifi, Pure
	36	43 - 60	58 - 70	38 - 50	48 - 60	48		
	45	54 - 75	84 - 114	47 - 63	60 - 75	60		
6 VA	6	3 - 8	4 - 15	2 - 5	2,5 - 8	8	570 x 224 x 485	CC50, CC300 and h1
9 VA-K	9	6 - 16	13 - 24	4 - 10	7 - 16	12		
12 VA	12	14 - 22	22 - 30	8 - 15	14 - 20	16		
18 VA	18	20 - 30	28 - 40	13 - 20	18 - 30	24		
24 VA	24	28 - 40	38 - 50	18 - 30	28 - 40	32		
3x9 VA**	27	38 - 45	46 - 60	28 - 40	38 - 52	36		
3x12 VA**	36	43 - 60	58 - 70	38 - 50	48 - 60	48	570 x 224 x 485	h1 PRO (included)
PRO 9	9	6 - 16	13 - 24	4 - 10	7 - 16	12		
PRO 12	12	14 - 22	22 - 30	8 - 15	14 - 20	16	470 x 600 x 1160	
V2/4/6 VB*	2,2	–	max. 2,5	–	max. 1,5	3	445 x 130 x 415	CC50, CC300 and h1
	4,5	max. 4	max. 5,5	max. 2,5	max. 3,3	5,5		
	6,6	3 - 8	4 - 15	2 - 5	2,5 - 8	8		

* 2.2/4.5/6.6 kW convertible for single, two or three phase connection. ** Only one control panel is required for connection.

Steam doors

Our top-quality doors are specially manufactured to withstand the considerable temperature differences between the outside and inside of the sauna without warping or becoming deformed.

If you want a sauna door with different dimensions or made from different materials, request a quote.



1 - **STEAM DOOR 101 G** Tempered, tinted safety glass door specially adapted for wheelchair access with an extra wide opening and flat sill. Outer frame dimensions: 1870 x 1010 x 60 mm, width of opening: 900 mm.

Right-hinge door with tinted glass and aluminium frame
Item no. 9091 2025

Left-hinge door with tinted glass and aluminium frame
Item no. 9091 2030

2 - **STEAM DOOR 60 G** Tempered safety glass door. Opening 670 mm.

Tinted glass with aluminium frame 2100 x 778 x 60 mm
Item no. 9091 2040

Tinted glass with aluminium frame 1870 x 778 x 60 mm
Item no. 9091 2000

Clear glass with aluminium frame 1870 x 778 x 60 mm
Item no. 9091 2001

3 - **STEAM DOOR 50 G** Narrow door in tempered clear glass with concealed hinges. Outer frame dimensions: 1855 x 635 x 43 mm, width of opening: 550 mm.

Item no. 9091 1010

4 - **STEAM DOOR 60** Tempered safety glass door. Available with either tinted glass or clear glass. The new steam door G60 has no threshold, a major advantage in facilities requiring disabled access, and is fitted with four hinges to complement the designs of the other doors in the DGL and DGB ranges.

TINTED GLASS

9x19 right Item no. 9091 2250

9x20 right Item no. 9091 2254

9x21 right Item no. 9091 2258

10x19 right Item no. 9091 2262

10x20 right Item no. 9091 2266

10x21 right Item no. 9091 2270

9x19 left Item no. 9091 2274

9x20 left Item no. 9091 2278

9x21 left Item no. 9091 2282

10x19 left Item no. 9091 2286

10x20 left Item no. 9091 2290

10x21 left Item no. 9091 2294

CLEAR GLASS

9x19 right Item no. 9091 2252

9x20 right Item no. 9091 2256

9x21 right Item no. 9091 2260

10x19 right Item no. 9091 2264

10x20 right Item no. 9091 2268

10x21 left Item no. 9091 2272

9x19 left Item no. 9091 2276

9x20 left Item no. 9091 2280

9x21 left Item no. 9091 2284

10x19 left Item no. 9091 2288

10x20 left Item no. 9091 2292

Control panel

1 - CC 300

Can be set to run for between 1 and 24 hours and has a display that indicates temperature, remaining operating time, day and time. In addition, the CC300 comes with a switch for lighting, English instructions, memory features, security code and energy-saving stand-by function. The CC300 has an integral weekly timer for optional automatic on/off operation and stand-by mode at preselected times on the days of your choice. The control panel can also be controlled from external units.

Size: 130 x 190 mm, depth 27 mm. IP 24.
Item no. 7111 5150

2 - CC300T

Can be set to run for between 1 and 24 hours and has a display that indicates temperature, humidity, remaining operating time, day and time. In addition, the CC300T is equipped with a switch for lighting, English instructions, a memory, security code and energy-saving, stand-by function. The CC300T has an integral weekly timer for optional automatic on/off operation and stand-by mode at preselected times on the days of your choice. The control panel can also be controlled from external units.

Size: 130 x 190 mm, depth 27 mm. IP 24.
Item no. 7111 5155



1 / 2



3

3 - CC50

Has a display for time and temperature, switch for lighting, and security code function. Programmable for 1, 3, 12 and 24 hours or continuous operation. 0–10 hour preset.

Item no. 7121 4005

4 - H1

Touch control panel that displays the time and temperature in operating mode. Can be programmed to start up to 24 hours in advance and run for 1 to 23 hours for a steam room and 1 to 12 hours for a sauna. It also allows you to regulate the lighting. Tylö's h1 control panel allows you to set the maximum temperature, switch between Fahrenheit and Celsius, use a 12-hour or 24-hour format, set different languages, and more advanced settings and test options. Tylö's h1 control panel can replace Tylö's CC10 and CC50 control panels.

Size: 140 x 80 mm, depth 19 mm.
Item no. 7200 1020



4



5

5 - PURE


Thermostat-controlled touch control panel, for installation inside or outside the steam room. Pure control panel not sold separately.

6 - ELITE AND ELITE WIFI

Tylö's Elite control panel can be installed inside or outside the steam room. It has a processor and an operating system that allows a variety of advanced functions. In addition to a number of personal settings, Elite can also be programmed to suit your personal schedule. Features such as extra fans, fragrance pumps and a sound system can also be added. Everything can be controlled just as simply and precisely with the Elite control panel. The crystal-clear 4.5-inch screen allows you to keep a constant check on the various functions. Naturally it also features energy-saving functions and the option to connect to a wireless network.

Elite wifi - Item no. 7200 5000

Elite - Item no. 7200 5001



To be launched in 2016

6

The new steam generation

FOR DECADES we have been supplying high-quality products to provide personal well-being and an improved standard of living for our customers. With our new generation of steam generators and smart digital control panels we are taking the steam room experience to a new level.

QUALITY

For over 30 years we have been manufacturing steam generators at our factory in Sweden and have taken great pride in producing top-quality products. Smart technical solutions form the basis for sustainable products and are a key contributing factor to our industry-leading position.

COMMUNICATION

Our control panels allow you to regulate up to three steam generators from the same location. Control your steam bath directly via the control panel or set it up so that you can control it from your computer. The option for wireless network connection allows remote control.

INTELLIGENCE

Our new steam generators for home and public environments set a new standard with their smart solutions for optimum effect. Two-way communication between the control panel and the steam generator facilitates an effective overview of all functions, with updates in real-time.

SUSTAINABILITY

With scrupulous quality control, smart technology and a strong focus on water and energy consumption, we have designed Tylö's steam generators for minimal impact on our environment.

LESS MAINTENANCE

We design our steam generators with great attention to detail. They should run for many years with no interruption and a minimum of maintenance. They come with an automatic emptying function that is set according to the water quality in your area.

HIGH LEVEL OF COMFORT

Whether our steam generators are installed in a home or public setting, they are designed to offer top-quality enjoyment and comfort without interruption. The convenient Multi-Steam function ensures uninterrupted operation in heavily-utilised facilities, and the Bahia steam outlet, which can be added as an optional extra, is specially designed to spread abundant, billowing steam with minimal noise and risk of burns.

ENERGY SAVING

Scandinavian design has always been influenced by consideration for efficiency and the overall feel. Accordingly, we have employed technology to make our steam generators as efficient as possible. The stand-by mode option and our "divided output" function can reduce energy consumption by up to 30 %. Once the air in the steam room has reached the desired temperature, the output of the steam generator drops to a suitable level to maintain this temperature.

It's all about water


IT'S NOT JUST STEAM

Our new steam generators set a new industry standard with their innovative solutions based on experience. For you, it's all about enjoying quality time relaxing in a soothing steam bath. While for us, it's all about ensuring that you can enjoy fantastic, problem-free relaxation.

WE MAKE SURE EVERYTHING OPERATES SMOOTHLY


To ensure the steam is generated in the best way, it is important to analyse the water used. It's not just about calcium deposits, but also about the conductivity of the water, which may differ in different regions. The quality of the water has a major bearing on both the function and service life of your steam generator.

If you are not sure about the water in your region contact your local dealer to test the water before ordering your steam generator system. Sometimes your local water company may be able to provide the information you need.



It is essential that the analysis takes into account both the degree of hardness and the conductivity of the water. Softer water yields increased conductivity and increased risk of foaming, which can affect the efficiency of the steam generator.

Water quality	Water treatment, low consumption	Water treatment, high consumption
Soft water: 0–4 dH	No additives needed	Softener needed
Medium hard water: 4–14 dH	Softener needed	RO filter needed
Hard water: 14–24 dH	Softener and RO filter needed	Softener and RO filter needed



For reliable, continuous operation, service life and minimum energy and water consumption, we would strongly recommend an RO filter for your steam generator. This is especially applicable for operation in public environments where the conductivity of the water is high.

Steam bath accessories

WATER SOFTENER MACH 2020

Item no. 9090 8025

Water softening salt (3-PACK)

Item no. 9090 3005



DISINFECTION

Steam Clean - for automatic day-to-day hygiene and disinfection of steam rooms.

Item no. 9090 8020



BAHIA HOME AND PRO STEAM OUTLET

The Bahia steam outlet is the obvious choice for form, function and aesthetics. Tempered safety glass design with Corian® or high-gloss plastic.

BAHIA PRO

Tempered safety glass and Corian®

Size: B: 500 mm H: 300 mm

Item no. 9002 9252

BAHIA HOME

Tempered safety glass and high-gloss plastic

Size: B: 280 mm H: 180 mm

Item no. 9002 9254

FRAGRANCE PUMP

Available as an option for your steam generator and connects simply to the outlet pipe. Add any 5-litre concentrated fragrance.

Item no. 9090 8012



DOSING PUMP

Practical, easy-to-use fragrance pump. The control panel makes it easy to set the time and quantity for the fragrance.

Item no. 9090 8014



CONCENTRATED FRAGRANCES

Eucalyptus-5 litres

Item no. 9002 2007

Lemon-5 litres

Item no. 9002 2012

Pine-5 litres

Item no. 9002 2044

Peppermint-5 litres

Item no. 9002 2022

Menthol-5 litres

Item no. 9002 2027



SOUND SYSTEM FOR STEAM ROOM

Enhance your experience with a specially-designed sound system.

Item no. 9080 2010




STEAM OUTLET

Steam head with integral dispenser for Tylö fragrances. Connect to the steam generator's steam pipe.
Item no. 9002 9250

CORIAN BENCH

Ergonomic and easily portable bench.
Size: 660 x 310 x 450 mm (LxDxH).
Item no. 9607 5060



CORIAN BENCH

Hardwearing and hygienic bench for larger steam rooms.

Bench 1545

Size: 1545 x 600 x 450 mm (LxDxH).
Item no. 9607 5050

Bench 1945

Size: 1945 x 600 x 450 mm (LxDxH).
Item no. 9607 5052

Bench 2345

Size: 2345 x 600 x 450 mm (LxDxH).
Item no. 9607 5054



**STEAM LIGHT + transformer
Steam Light A**

Exclusive wall light for steam rooms.
Item no. 9090 1000

Transformer steam light A, 24V

Transformer (type Steam Trans 24 V).
200-240 V~/24 V, max. 210 W.
Item no. 9090 1010

Transformer 12 V/210W

200-240 V~/12 V max. 210 W.
Size: 106 x 136 x 93 mm (WxLxH)
Item no. 9090 1015

Transformer 12 V/60W

As above, but for max. 60 W.
Size: 73 x 124 x 61 mm (WxLxH).
57 W output.
Item no. 9090 1020



DOMES

Turn your shower into a steam bath with a one-piece dome in special-grade plastic with assembly profiles of natural anodised aluminium. Also available in specially designed version (TK special). Max. length 200 cm. Domes can be fitted with profiles and doors.
Contact a Tylö dealer for made-to-measure orders.



SERVICE SECTION COMPLETE

Vacuum-formed, special-grade white plastic. Massage nozzles, thermostatically-controlled mixer tap, handheld shower head, riser rail and shelf compartments. This section can be ordered in place of a wall/seat section for an extra charge.



MEGACLEAN 150 ML

Kit containing bottle and cleaning sponge. For sparkling cleaning results on washbasins, baths, taps, tiles and plastic.
Item no. 9090 3050

**DESCALING AGENT
PRIVATE 0.5L**

Liquid descaling agent for Tylö's products that require descaling.
Item no. 9090 3002

**DESCALING AGENT
PROFESSIONAL 5L**

Liquid descaling agent for Tylö's products that require descaling, for professional use.
Item no. 9090 3012

SOLVENT 1-PACK

For descaling of water tanks.
Item no. 9090 3000

SOLVENT 50-PACK

For descaling of water tanks, large pack of 50.
Item no. 9090 3007

SOLVENT SULFAMIC 5KG

Descaling agent for professional use.
Item no. 9090 3010

TYLÖ IMPREGNATOR

Preserves and protects shower glass and glazed tiles.
Item no. 9090 3030



LED DOWNLIGHTS

Downlight

Item no. 9001 1096

Downlight with adapter

Item no. 9001 1098



AUTOMATIC DESCALE

The automatic descale should be installed on the incoming water pipe to the steam generator. Factory adjusted for proper water flow.

Item no. 9090 7000

TYLÖ®

Tylö dealer

