BLUMENBERG

the cooperage with high quality solid wood products for sauna, bathroom, wellness and garden


























Foot baths made from larch or kambala wood

Fine wood surface planed and sanded, moulded joints glued water resistant, two hot dip galvanized steel hoops, approx. 16 litres water content, upper diameter 40 cm, height 20 cm, 2 longer staves (30 cm) as handles with grab-hole. Favourable packing units: 4-5 pieces per cardboard, approx. 14 pieces per standard sauna tub, approx. 48 pieces per pallet.

(*) Nature wood foot baths (art.no. 410/01 and 410/02) must be used with plastic insert art.no. "ES FW" to avoid leakage.









410/01	+ <i>ES FW</i>	

Art.No.	Article / Model / Description	- 9 pieces	> 10 pcs	> 48 pcs

410/01	larch, inside and outside nature wood (*)
410/02	larch, inside nature wood, outside burnt / flamed (*)
410/03	larch, inside blue coating / sealing, outside burnt / flamed
410/04	larch, inside clear coating / sealing, outside burnt / flamed
410/05	larch, inside and outside clear coating / sealing
410/09	like 410/05 plus drain, chrome overflow pipe and "feet"
521/05	kambala, inside and outside clear coating / sealing
521/09	like 521/05 plus drain, chrome overflow pipe and "feet"
ES FW	plastic insert, opaque white, for foot baths without drain

High foot baths made from kambala wood

Fine wood surface planed and sanded, moulded joints glued water resistant, three hot dip galvanized steel hoops, clear coated all over, upper diameter approx. 42 cm, height $\sim 31 \text{ cm} + 3.5 \text{ cm}$ feet, content 29 litres (filled completely), incl. drain in bottom with 25 cm stainless steel overflow pipe or clicker valve.







521/06

521/07 521/07

Art.No.	Article / Model / Description	- 9 pieces	> 10 pcs	> 48 pcs
521/06	drain with up&down clicker valve			
521/07	drain with stainless steel overflow pipe			

Big foot bath tubs (Ø 51 cm / Ø 63 cm) made from larch or kambala wood

Same strong and solid construction as big sauna tubs (see page 6), cylindrical body, two hot dip galvanized retightenable steel hoops, clear coated all over, interior depth approx. 31 cm, outside height approx. 49 cm (sufficient clearance under bottom for siphon), other heights available on request. Including drain either with clicker valve or overflow pipe.

(*) Please add a "L" for larch or a "K" for kambala wood to the art.no. when ordering.

Art.No. (*)	Article / Model / Description	Larch	Kambala
FW50/06	Ø 51 cm, drain with up&down clicker valve		
FW50/07	Ø 51 cm, drain with 275 mm chrome overflow pipe		
FW63/06	Ø 63 cm, drain with up&down clicker valve		



FW K 50/07

Shower buckets made from kambala wood

FW...63/07 Ø 63 cm, drain with 275 mm chrome

overflow pipe

big 29-litres kambala bucket with 3 stainless steel hoops, approx. Ø 42 cm, 31 cm high, in 2 versions / surfaces:

- for indoor purposes: bucket clear coated all over (not uv resistant)
- for outdoors: bucket's inside with blue coating, bucket's outside with outdoor varnish

Features a very comfortable wide water downpour with easy to dispense water flow.

Heavy white rope, fastened to the bucket as a centred loop.

Water content can easily be adjusted at the filling valve between approx. 5 litres and 15 litres. Water supply to be connected to the filling valve on 3/8" or 1/2" male thread with a flexible hose (not included) either from left or right side.

 $Complete \ incl. \ stainless \ steel \ support \ for \ wall \ or \ ceiling \ installation, incl. \ pull \ rope \ and \ adjustable \ float \ valve.$

For use in aggressive environment (salt, chlorine) we recommend the "SDV4A" version of the support. All parts can be dismantled without tools.







Einzelteile / Lieferumfang 522/05 (separat parts 522/05)

522/05 522/03

Art.No.	Article / Model / Description
522/05	for indoor use, clear coated all over
522/03	for outdoor use (uv resistant): inside: blue coating, outside: weather protection oil
SDV4A	extra price for support made from high resistant stainless steel


Standard sauna tubs

Each single stave is moulded round according to the tub's oval shape and fine sanded after assembly, double-V joint glued water resistant, 3 hot dip galvanized retightenable steel hoops, drain with 11/4" male thread and stainless steel overflow pipe, incl. fixed inside step and hang-on ladder as outside step.

Standard height 100 cm, inside depth 82,5 cm.

Note: clear coating is not uv resistant. See page 8 - 9 for outdoor version with cover, optional drain and overflow, steps, seats, dimensions, panelling (wall junction) and stainless steel hoops.







Standard Equipment


K500/03

Oval, 100 cm long, 72 cm wide. Content approx. 336 litres with 70 cm water level height:

Art.No.	Article / Model / Description
442/01	larch, inside blue coating / sealing, outside burnt / flamed
442/01KB	larch, inside blue coating, outside wood wax finish "cherrytree colour"
442/02	larch, inside clear coating / sealing, outside burnt / flamed
442/03KB	larch, inside clear coating, outside wood wax finish "cherrytree colour"
442/03	larch, inside and outside clear coating / sealing
K500/02	kambala, inside clear coating / sealing, outside nature wood
K500/03	kambala, inside and outside clear coating / sealing







443/03

K510/03


Detail

Oval, 110 cm long, 77 cm wide. Content approx. 406 litres with 70 cm water level height:

Art.No.	Article / Model / Description
443/01	larch, inside blue coating / sealing, outside burnt / flamed
443/01KB	larch, inside blue coating, outside wood wax finish "cherrytree colour"
443/02	larch, inside clear coating / sealing, outside burnt / flamed
443/03KB	larch, inside clear coating, outside wood wax finish "cherrytree colour"
443/03	larch, inside and outside clear coating / sealing
K510/02	kambala, inside clear coating / sealing, outside nature wood
K510/03	kambala, inside and outside clear coating / sealing

Standard sauna tubs: optional surface / design









442/01 (+ 410/03 + 401/03)

442/02 (+ 410/04 + 401/04)

442/03KB

K500/02

Sauna tub with plastic insert, perfect for public sauna


Stand-alone sauna tub from larch or kambala wood incl. blue plastic insert (sanitary PE). With moulded interior step an overflow channel (connected to the siphon under the drain). L x W x H = approx. 112 x 79 x 101 cm,

280 litres content. Wooden tub with 3 retightenable galvanized steel hoops, incl. hang-on ladder.

Note: clear coating is not uv resistant. See page 9 size "110x77" for outdoor version with cover.

We recommend for public sauna: refill package (see below) with block stair instead of hang-on ladder, with panelling to cover the refill technology, tub's outside with clear coating, outdoor varnish or wood wax finish.









K510/02ES

K510/03ES + K556

443/03KBES + 443/02ES

443/03ES + NF Paket

Art.No.	Article / Model / Description
K510/02ES	kambala, outside nature wood / untreated
K510/03ES	kambala, outside clear coating / sealing
443/02ES	larch, outside burnt / flamed
443/03KBES	larch, outside with wood wax finish, "cherrytree colour"
443/03ES	larch, outside clear coating / sealing

Water refill set for sauna tubs with plastic insert

The water refill set "NF" includes: floating nozzle, solenoid valve, electronic refill control with adjustable closing time, water level sensor and ball valve outside of the tub (instead of plug).

The panelling for the technique is designed as a wall junction (means: the back is open).

Technical description: whenever a sauna guest has left the tub, an adjustable amount of fresh water will be automatically refilled (see brochure for detailed description).

Supplies: electronic control box at 230 V / 50 Hz via residual current operated device and circuit breaker / switch. Water supply via check valve (preventing flowing back) and shut-off valve to the solenoid valve. All supplies should be under the panelling.

Art.No.	Article / Model / Description	for Larch	Kambala
NF	Refill set, please order add.: panelling (cover for technique) and block stair		
NF Paket	Refill package "NF" incl. panelling (cover for technique) and block stair		

Big sauna tubs and bathtubs

Equipment as described for standard sauna tubs (hang-on ladder, inside step, overflow pipe),

except: clear coated all over in general and more than 3 hoops as a standard. Note: clear coating is not uv resistant.

See page 8 - 9 for outdoor version with cover, optional drain and overflow, steps / seat panels, dimensions, panelling (wall junction) and stainless steel hoops.

Examples for optional sizes: Ø133 cm, Ø96 cm, Ø82 cm, (75-) 100 x 64 cm, 146 x 79 cm, longer, wider ...







TB K 149x90x100 + K556 + UL MS

Detail TB K 153

TB K 168x106x100 + 5 x IS120K + UL + "Specials"

Larch Kambala

Art.No. (*)	L x W (cm)	content at 70 cm water level
TB122x72	122 x 72	434 Liter
TB130x79	130 x 79	483 Liter
TB161x79	161 x 79	644 Liter
TB149x90	149 x 90	616 Liter
TB168x106	168 x 106	812 Liter
TB112	Ø 112	623 Liter
TB153	Ø 153 (**) see note "XXI	L" on page 9 1183 Liter

Accessories and optional equipment for sauna tubs

Prices are for additional equipment or in some cases the price difference compared to standard equipment.

Some of the following items are included in the standard equipment already, e.g. hang-on ladder, overflow pipe, inside step.

Art.No.	Article / Model / Description			
Tub sizes:	height 110 cm or 120 cm instead of 100 cm			
incl. longe	r overflow pipe and hang-on ladder. Level and amount of steps keep the same.			
Tub size cl	asses: A=100x72 to 110x77, B=122x72 to 168x106, C=Ø153	Α	В	C
H110	Height 110 cm for tubs class A, B or C			
H120	Height 120 cm for tubs class A, B or C			
Tub's size	Tub's sizes (longer, shorter, wider, smaller: on request)			
531	Tub up to 4 cm smaller in width (more than 4 cm on request)			
533	Tub dividable into 2 pieces à half of length			

<u>Panelling / wall junction:</u> prices see "optional equipment for bath tubs. Customized panels for the space between the tub and the room's wall. Recommended for all tubs with outside overflow pvc, for public tubs, with refill set or if a "standing" water tap / faucet should be mounted on this panel.

Fixing set for covers (see right page. Excluding assembly. At least 2 sets per cover needed)

Art.No. Article / Model / Description

	7.1. d. a. c. 7. 1. a. c. 7. a. c. a. p. a. c. 1.		
Drain and o	verflow		
577	overflow pipe stainless steel (incl. in tub prices)		
Siphon TB	Siphon (odour trap, plastic. Additionally to overflow pipe valve)		
ÜL	outside overflow pvc, drain with plug, incl. siphon (instead of overflow pipe)		
ÜL MS	like "ÜL" before, but chrome plated brass instead of pvc plastic		
Stairs, ladd	ers: (hang-on ladder included in tub's price)	larch wood	kambala
552	hang-on ladder kambala, nature wood or larch, burnt / flamed		
554	hang-on ladder kambala or larch, with clear coating		
556	block stair (stand-alone) larch or kambala, with clear coating		
Inside steps	s / seat panels		
IS80	Inside step / seat panel for tubs up to 80 cm width		
IS120	Inside step / seat panel for tubs with 80 cm - 120 cm width or Ø		
IS150	Inside step / seat panel for tubs with Ø 120 cm - Ø 153 cm		





Cover Red Cedar / outdoor varnish









IS80

Cover thermo treated plywood / outdoor varnish

TB K 130x79 + cover plywood / outdoor varnish

Stainless steel hoops ("INOX") instead of hot dip galvanized hoops. See chart below, prices for complete set of hoops.

Outdoor varnish at tub's outside + cover made from Western Red Cedar clears or thermotreated plywood for sheltering the tub's inside (see chart below. The extra price is compared to version "clear coated all around").

Always needed if tub should be used outdoors. If ordering only "outdoor varnish without cover" you must equip the tub with a cover afterwards by your own or you have to order the tub coated inside blue or black instead of clear.

			outdoor varnish pl	us cover made from:
Tub's size	add	outdoor varnish	thermo treated	red cedar clears,
length x width	stainless steel hoops	without cover	plywood (dark)	solid wood
100 cm x 72 cm				
110 cm x 77 cm				
122 cm x 72 cm				
130 cm x 79 cm				
161 cm x 79 cm				
149 cm x 90 cm				
168 cm x 106 cm				
Ø 112 cm				
Ø 153 cm	(**) X			
Ø 153 cm	(**) X			

(**) tub size Ø153 cm: "normal" stainless steel hoops are included in the standard price already. But for outdoor purposes or if a tub is planned to be filled for a longer period, we have to use "XXL stainless steel hoops" which are wider, thicker and stronger. Otherwise the hoops could burst.

Bath tubs

Standard equipment for all bath tubs:

Made from larch or kambala wood, clear coated with hygienic sealing all over, as an option also available with natural wax / oil.

With 3 – 4 retightenable hot dip galvanized hoops (depending on size), including drain with clicker valve "up&down" and siphon (ends with Ø50 mm pipe).

We recommend to order an overflow device whenever the bathroom has no floor drain.

Please check door sizes for transport.

We can manufacture **further sizes** as well, e.g. width of head end (73 cm) at both ends, intermediate lengths, wider, \emptyset 132 cm, \emptyset 96 cm, \emptyset 82, 75 x 64 cm, 75 x 52 cm and "removable feet" to get a reduced height for transport.

Note: clear coating is not uv resistant. Refer to page 9 concerning cover and outdoor varnish.

Please choose the **outside height** between 60 cm and 70 cm (inside depth is always 17,5 cm less).

Shower tubs, bath tubs for children or pets with a maximum outside height of 40 cm: prices reduced by 10%.

Please indicate when ordering the following points:

hygienic sealing (standard) or wax / oil, outside height and a sketch with the following info: position of drain, overflow, hoop locks (only in area of head or foot end), backrests and position in room with sizes of panelling / wall junction (if applicable).

(*) ... Please add a "K" or a "L" to the art.no. (kambala or larch wood).



BW L 122x72x65/75 Kt, WA "along the wall"



BW K 130x79x60/70 Kt



BW K 151x73x70/80 UL PVC, WA corner, antik



BW K 135x73x60/70 UL PVC, WA along, antik



BW L 151x73x60/70 Kt, UL Chr, RL, WA along, V2A



BW K 167x73x70 Kt, UL Chr



BW K 149x90x60 Kt



BW K 161x79x70/80 Kt, WA corner diag.

	outside dim.	content at 30 cm	Larch	Kambala
Art.No. (*)	lenght x width	water level		
BW119x73	119 cm x 73 cm	162 litres		
BW135x73	135 cm x 73 cm	195 litres		
BW151x73	151 cm x 73 cm	228 litres		
BW167x73	167 cm x 73 cm	261 litres		
BW183x73	183 cm x 73 cm	294 litres		
BW100x72	100 cm x 72 cm	144 litres		
BW110x77	110 cm x 77 cm	174 litres		
BW122x72	122 cm x 72 cm	186 litres		
BW130x79	130 cm x 79 cm	207 litres		
BW161x79	161 cm x 79 cm	276 litres		
BW149x90	149 cm x 90 cm	264 litres		
BW168x106	168 cm x 106 cm	348 litres		
BW164x140	164 cm x 140 cm	500 litres		
BWØ112	Ø 112 cm	267 litres		
BWØ153	Ø 153 cm	507 litres		



WW K 164x140x70/80 "LoveBoat", UL PVC, WA head end, UWS, WP-equipment



BW K 168x106x70 V2A, TAB, TS

Accessories and optional equipment for bath tubs





ΚT



UL Chr BW



RLF + OWR



FS K

RLDL

Art.No. **Article / Model / Description** OWR Head end or foot end 10 cm higher than the rest of the tub KT Shaped cut at bottom edge lengthwise, 10 cm high. Standard without shaped cut: only a little cut around the drain area. D So Removable feet (10 cm high, only in combination with shaped cut). Reduces transport height by 10 cm **UL PVC BW** Outside overflow plastic / pvc (must be hidden by panelling), incl. siphon **UL Chr BW** Outside overflow chrome plated brass (incl. plastic siphon) **SR BW** Overflow pipe stainless steel (standing inside of the bath tub instead of clicker valve) Siphon Siphon (odour trap, plastic. Already included, if drain is with clicker valve) Bue Bath brush, thermo-treated Ash, oiled (dark), 45 cm long 60x45 cm 100x60 cm FM...x... bathmat, dark thermo-treated ash wood, oiled (strips 30 mm x 18 mm) larch kambala RL F.. Backrest, fixed with screws. Perfect back support in any sitting or relaxing position. RL D.. Detachable backrest with suckers (makes cleaning easier) FS.. Footrest: detachable with suckers, supports small people in big bath tubs TS.. Step. L x W x H = 60 cm x 25 cm x 17,5 cm (= tub's floor level)



TAB..80

TAB..110



TS K

Tray. To be placed across the tub, W = 25 cm, L up to 80 cm

Tray. To be placed across the tub, W = 25 cm, L up to 110 cm



further accessories and optional equipment for bath tubs

Stainless steel hoops, Art.No. "V2A" instead of galvanized **"VZ"** (see chart below, prices for a complete set) Hoops patinated "rusty / antique", Art.No. "antik" instead of galvanized (see chart below, prices for a complete set) Panelling / wall junction, Art.No., WA" (see chart below). Customized panels for the space between the tub and the room's wall or room's corner or a niche. Recommended for all bath tubs with outside overflow pvc, for all bath tubs standing close to the room's wall and whenever a "standing" water tap / faucet is planned to be installed.

Listed prices are valid for larch wood. Please add 3% for kambala wood panelling.

The **price for niche** position is valid as long as the niche is not longer than length of bath tub + 50 cm.

Further customized solutions available upon request (e.g. faucet cabinet for tub position in the middle of the room).



VΖ



WA along



WA corner



antik



WA corner diag.



WA niche

Tub's size	hoops stainless steel	panelling / wall junction larch wood (kambala: + 3%)		
length x width	or antique / rusty	"along", "head- / footend"	"corner"	"niche"
119 cm x 73 cm				
135 cm x 73 cm				
151 cm x 73 cm				
167 cm x 73 cm				
183 cm x 73 cm				
100 cm x 72 cm				
110 cm x 77 cm				
122 cm x 72 cm				
130 cm x 79 cm				
161 cm x 79 cm				
149 cm x 90 cm				
168 cm x 106 cm				
164 cm x 140 cm				
Ø 112 cm				
Ø 153 cm				

Wooden Shower Cabins

Luxury shower cabin designed to fit perfectly to the round shower glass doors "Heiler 550" with CleanTec surface.

Made from best Western Red Cedar wood, cabin's floor made from Kambala wood or Larch wood (because of its higher density). Clear coated with hygienic sealing all around, including drain and 3 retightenable hot dip galvanized hoops.

The inside height is always 17,5 cm less than the outside height.

We recommend to order the cabin including water supply unit "Viega Gemini". So you can easily assemble an "on-wall" sprayer set 150 mm. Water supply should be made with flexible metal-woven hoses.

As an option the cabin can be manufactured dividable into 2 pieces. Further accessories are: outside step, stainless steel hoops (INOX), and vertical panels (to cover the water supplies behind the cabin).

The 180 cm high glass doors are frameless and the hinges are flat to the surface inside. So the doors are very easy to clean.

The cabin's shape in the front corresponds to the round shape of the glass doors. As the cabins front edge is on a bigger circle than the glass doors, the water is floating from the doors into the cabin.

Sprayer set and mentioned accessories are not included in the standard equipment.

If requested, we can assist you in checking, if the cabin must be dividable for the transport. All staircases an gates must be at least 100 cm wide. In most cases a door width of 75 – 80 cm is sufficient, if there is enough space beside the door to "twist and turn" the cabin through the door.

When ordering, please let us know:

position of drain and hoop locks together with a sketch of the place where the cabin will be placed (plus maybe a sketch of relevant transport spots as doors, staircases...).

Together with a cabinet in the back (that covers the water supplies), this cabin can even be placed in the middle of the room. On request we can also offer the cabin with other sizes.







DK RC, ST



DK RC, V2A DK, ST DK

DK RC, V2A DK, ST DK

DK RC

Art.No.	Article / Model / Description
DK RC	Shower cabin D x W x H: 97 cm x 116 cm x 220 cm / 40 cm incl. glass doors
DK RC OT	Shower cabin without glass doors (e.g. to be combined with shower curtain)
V2A DK	1 set of stainless steel hoops instead of galvanized
BL DK	2 vertical panels 220 cm x 16 cm to cover the water supplies behind the cabin
ST DK	outside step 17,5 cm high (= height of cabin's floor)
TB DK	cabin dividable (the 40 cm high front part can be removed)
AS DK	back side cabinet to cover the supplies for free standing cabins
ME DK	water supply unit "Viega Gemini" for on-wall sprayer sets 150 mm



DK RC, V2A, ST DK, ME DK (+ BW K)



DK RC, V2A, ST DK, ME DK

Wash basins

Choose between a wash pillar (standing on the floor) or a wash basin to be fixed on a table or panel. Made from larch or kambala wood, clear coated all around with hygienic sealing, with 2 retightenable galvanized hoops, incl. drain with 11/4" male thread and chrome plated overflow pipe (120 mm long). Inside depth 15 cm. We can send you a sketch on request.





WB K 40x18, WTP, antik, Clicker







WB K 65x52, Clicker

WAV L

Art.No.	Article / Model / Description	lar	k
WB51	Wash basin (to be mounted on top) Ø 51 cm x 22 cm		
WB40	Wash basin, size Ø 40 cm x 22 cm		
WB65x52	Wash basin, oval, size 65 cm x 52 cm x 22 cm		
WTP	Table top for wash basin (wash basin will be fixed on this panel)		
WT	Wash-pillar Ø 51 cm x 90 cm		
EB	Shelf for wash pillar		
WAV	Wall junction / panelling for wash basin or wash pillar (for "standing" water tap)		
V2A WB/WT	set of stainless steel hoops instead of galvanized (antique: same extra price)		

Whirlpools and whirl bath tubs

Standard equipment for all our whirlpools and whirl bath tubs:

Made from larch or kambala wood, clear coated all around with hygienic sealing. Clear coating is only for indoor purpose as it is not uv-resistant. For outdoors you need a cover and outdoor varnish (see accessories for sauna tubs). Additionally to the cover you have to order the air loop (next page) because we need a straight upper edge (no higher head end) for the cover.

We call it whirl bath tub if it is 70 cm high on the outside.

Our whirlpools are 100 cm high and come with a block stair.

The upper edge at the head end is 10 cm higher than the rest. As an alternative you can get the same height all around together with an air loop placed on top of the panelling (see next page).

Depending on tub's size including 3-5 hot dip galvanized steel hoops (with hoop locks to tighten the hoops), incl. standard drain: whirlpools with plug on chain, whirl bath tubs with clicker valve. Additional ball valve with handle on the panelling for emptying all pipes and hoses. Incl. outside overflow pipe made from pvc under the panelling, connected with the siphon under the drain. All whirlpools and whirl bath tubs come with a panelling for corner position (horizontal and vertical panels to cover the technique and to fill the space between tub and room's wall). Optional positions: lengthwise the wall or with head end at the wall (same price) or niche position (extra price: see prices for bath tub panelling, difference between price for corner position and price for niche position).

Prices include seat panels or backrests at listed below. Additional seat elements can be ordered.

All whirlpools and whirl bath tubs are equipped with an air massage system (230 V / 50 Hz) that is installed ready to use: air blower with integrated air heater, electronic control box with touch pad on panelling for the following functions: on / off, plus / minus (smooth speed control) and variation mode (speed varies continuously between minimum and maximum). Automatic drying function as an option (we recommend manual drying). Amount of air nozzles (chrome plated brass) as listed below, 9 holes per nozzle. Venturi-jet massage system: see next page.

It is our policy to invest in the best quality of all technical components to prevent problems and claims.

(*) ...please add a "K" or a "L" to the article number for kambala or larch wood.

outside dim. without

	outside dilli. Without			
	panelling	including the following	Larch	Kambala
Art.No. (*)	LxWxH(cm)	seat elements and air nozzles		
Whirl bath tub (out	side height 70 cm / 80 cm	n):		
WW119x73	119 x 73 x 70	1 backrest (fixed), 7 air nozzles		
WW135x73	135 x 73 x 70	1 backrest (fixed), 9 air nozzles		
WW151x73	151 x 73 x 70	1 backrest (fixed), 9 air nozzles		
WW167x73	167 x 73 x 70	1 backrest (fixed), 9 air nozzles		
WW183x73	183 x 73 x 70	1 backrest (fixed), 11 air nozzles		
WW100x72	100 x 72 x 70	1 backrest (fixed), 7 air nozzles		
WW110x77	110 x 77 x 70	1 backrest (fixed), 7 air nozzles		
WW122x72	122 x 72 x 70	1 backrest (fixed), 7 air nozzles		
WW130x79	130 x 79 x 70	1 backrest (fixed), 7 air nozzles		
WW161x79	161 x 79 x 70	2 backrests (fixed), 9 air nozzles		
WW149x90	149 x 90 x 70	2 backrests (fixed), 9 air nozzles		
WW168x106	168 x 106 x 70	2 backrests (fixed), 9 air nozzles		
WW164x140	164 x 140 x 70	2 backrests (detachable), 12 air nozzles		
WWØ112	Ø 112 x 70	1 backrest (detachable), 9 air nozzles		
WWØ153	Ø 153 x 70	2 backrests (detachable), 12 air nozzles		
Whirlpool (outside	height 100 cm / 110 cm):			
WP100x72	100 x 72 x 100	1 seat à 2 panels, 7 air nozzles		
WP110x77	110 x 77 x 100	1 st à 2 pnls + 1 inside step, 7 air nozzles		
WP130x79	130 x 79 x 100	2 seats à 2 panels, 7 air nozzles		
WP161x79	161 x 79 x 100	2 seats à 3 panels, 9 air nozzles		
WP149x90	149 x 90 x 100	2 seats à 3 panels, 9 air nozzles		
WP168x106	168 x106 x 100	2 seats à 3 panels, 9 air nozzles		
WPØ112	Ø 112 x 100	2 seats à 3 panels, 9 air nozzles		
WPØ153	Ø 153 x 100	3 seats à 2 panels, 12 air nozzles		









WWL

WWK + UWS

WP K Ø133

WW L 161x79x70, LB, V2A, TAB







WP K 100x72, V2A, LB

WP K 168x153x130 Aqua Bike

WW K 151x73x70/80, V2A, TAB

Accessories / options for whirlpools and whirl bath tubs

Accesso	ries / options for wniripoois and wniri bath tubs
Art.No.	Article / Model / Description
TB WP	Whirlpool dividable into 2 pieces (half of length) for critical transport situations
LB	Air loop, stainless steel. Placed on top of the panelling, instead of 10 cm higher head end. (= part of the pipe between blower and nozzles above maximum water level)
LD	Extra price for each additional air nozzle. Max. 12 air nozzles per standard blower.
LSys	Additional air massage system for more than 12 nozzles. With separate blower, control box, ball valve etc.
SKV	High performance side channel blower 230 Volt instead of standard blower. Perfect for long time use in public spas. Technique needs more space under the panelling. Without air heater, control box without speed control. Please add air heater to order. 400 Volt version: price + 15%
LH	Air heater with heat fuse and thermostat, 230 V, 400 W
Jet1	including: 2 venturi jets built in the tub's wall in back area (jet-direction can be adjusted), air control wheel on panelling, suction in tub's wall, pipe connection between pump and pool, whirlpool pump (230 V, 50 Hz, 0,55 kW – 1,4 kW) on wooden support, extension in electronic control box.
Jet2	same equipment as "Jet1", additional equipment: filter with 2 paper cartridges, electric heater (400 V, 6 kW or 9 kW) with thermostat. On request also available without filter or with different power of heater.
Jet2Eco	same equipment as "Jet2", but without filter and with less power of the heater: 230 V and 1,5 kW, 2 kW or 3 kW
UV	UV-Disinfection as an addition to Jet1, Jet2 or Jet2Eco
JD	2 additional venturi jets built in the tub's wall with separate air control wheel: Price does not include a larger panelling that might be necessary. For more than 5 venturi jets we need a second "Jet1".
UWS	Underwater spot light. Halogen / white, $12V$ / $50W$. Incl. transformer and supplementing of electronic control and touch pad. Multi colour lights available on request.

For further accessories please refer to sauna tubs and bath tubs.

E.g.: stainless steel hoops, seat panels, backrests, tubs with reduced width, shaped cut at bottom edge, foot rest ...

Rainwater tubs

Made from larch or kambala wood, each single stave is moulded round according to the tub's shape, double-V joint glued water resistant, 3 - 4 hot dip galvanized retightenable steel hoops, incl. cover made from thermotreated plywood, drain in tub's floor connected with hosepipe. The clear hose is held by a hose clip at the tub's wall and performs the following tasks: taking out water, overflow device and water level indicator. Outside of tub and cover is varnished with uv-resistant stain, inside is coated with blue or black hygienic sealing. All tubs 100 cm high.

Available upon request: cut in the cover for the downpipe (let us know the Ø), tub without cover, without varnish, different sizes (see sauna tubs), heater / frost guardian, water collector (copper, stainless steel or galvanized) to be built in the downpipe incl. connection with tub.

Art.No.	Article	lar	k
RT63	200 litres capacity (completely full: 216 litres), Ø 63 cm:		
RT110x77	450 litres capacity (completely full 480 litres), oval, 110 cm x 77 cm:		
RT112	690 litres capacity (completely full 735 litres), Ø 112 cm:		











RT L 63 "silver grey"

PB L Ø63x70 natur PK Ei Ø45

big plant tubs made from solid larch or kambala wood

Art.No., PB ... cylindrical tubs (same diameter from top to bottom), with 2 retightenable hot dip galvanized hoops, outside Ø50 cm or Ø63 cm. Available watertight or with drain holes in bottom (for planting directly into the tub).

height approx.:	45 - 48 cm	50 - 70 cm
wood specie:	larch kambala	larch kambala

inside and outside nature wood

outside nature wood, inside blue or black coating

outside varnished, inside blue or black hygienic coating

Tubs as garden ponds made from solid wood

Available in same sizes as bath tubs. Inside coated with black or blue hygienic sealing, outside varnished with uv-resistant stain, made from larch or kambala wood. Price for max. height 48 cm = 0.9 x price of bath tub same size.







Hot Tubs with wood heated stove placed beside the tub

All our tubs and bath tubs with outdoor equipment (cover and varnish) can also be combined with a wood heated stove, placed beside the tub. Including all connections to the tub.

stove, placed beside tub, connected to the tub (as additional equipment to tubs with cover and outdoor varnish)



BW K 161x79 + Chofu

Hot Tubs with underwater snorkel stove

Tubs are 100 cm high (inside depth 82,5 cm).

Our tubs are delivered ready to use! (no knock-down assembly kit).

Standard equipment includes: high quality tub (each single stave moulded round according to the tub's shape and fine sanded after assembly, double-V joint glued water resistant), retightenable stainless steel hoops, snorkel stove (marine aluminium) with stainless steel chimney, rain cap and ash scoop, hang-on ladder, drain, seat panels, safety fence and cover made from thermo treated plywood if indicated in chart below.

We use the original stove (be aware of the risk of cheap imitations!). Heating time approx. 2-3 hours.

Regulate the temperature by heating time and intensity or by adding cold water or closing the air intake.









BB K 130x126

TB K Ø153, V2A XXL, Outdoor









110 x 124 130 x 126 168 x 137 Ø 153 Ø 207

Kambala, clear coated inside, varnished on outside, incl.

Red Cedar, inside and outside nature wood, without cover

Red cedar, clear coated inside, varnished on outside, incl. cover

Accoya, LeTonkinois Oil inside, varnished on outside, incl. cover (Accoya = highest durability + almost no shrinkage / swelling)

BLUMENBERG

































